



**Sales and
Service
India**

TRUSTART Automotive Battery

18*
**MONTHS
WARRANTY**



KING ON ALL ROADS

TRUSTART

Automotive Battery

* Conditions apply



*For BSNL / MTNL lines
Internet: cumminsindia.com | E mail : powermaster-india@cummins.com

KING ON ALL ROADS

Introduction

Cummins brings to you, state-of-art automobile batteries which are high performing and zero maintenance.

Its technology ensures that you can now concentrate on your driving without worrying about being stranded as these batteries offer TRUSTART everywhere and everytime.

Features & Benefits

- **Charge eye** - Unique acid level indicator which eliminates the need to open the service plugs
- **BIC vents** - To reduce acid loss
- **Zero Maintenance** - Very low topping frequency
- **Higher CCA** - Radial grid design offers higher CCA for quick starting
- **Rugged construction** - Ribbed container resists shock and vibration damage and withstands high temperature, making it truly suitable for the extreme conditions
- **Special hybrid alloy system** - Minimizes water loss thus promoting long service life
- **Factory filled and charged** - For immediate fitment



Sr.No.	Part no.	Rating (Ah)	Dimensions in mm			Weight (Kg)	CCA as per JIS Std (Amps)	Reserve Capacity (Minutes)	Waranty Months (Free Replacement)
			Length	Width	Height				
01	AX1013418	80	306	173	225	22.5	550	160	18
02	AX1013419	100	333	176	234	25.4	650	198	18
03	AX1013420	120	505	222	240	41.6	700	226	18
04	AX1013421	150	505	222	240	48	800	283	18
05	AX1013472	90 L	364	176	234	24.5	550	170	18
06	AX1013473	90 R	364	176	234	24.5	550	170	18

Application chart

Segment	Rating (Ah)	Model	Application				
Commercial Vehicles	90	Tractor	Eicher : 480, 6100, Farm Trac :Power Trac 430, 435, 440, 450 HMT: 2522, 2511, 3522EXR, 3511, 4022, 4922EX, 4511, 5911, EX6522, 7511, 5022, 7522, R6522, 4922R, DI 735, DI740 International Tractors Limited: Sonalika DI 745, DI 750, DI 750III, DI 755, DI 760 Senior Swaraj Tractors :724, 733, 735, 744 FE M.M : Arjun, Arjun 555DI, 605 DI, 575 DI Sarpanch, 585 DI Sarpanch 475, 295DI, 595DI, 275DI, 275, 295, 595DI, 265DI, Sarpanch, 265 Di Bhoomiputra				
			Truck	80	LCV	Ashok Leyland: 2214,2518,3121,3116,1616,2516 comet, Taurus,Tuskar-goods, Challenger, Gama, Judo,Trax,Traveller, Matador,Dyna,Canter,Ambassador,(Diesel & CNG), Contessa(Diesel), OKA,Trekker,RTV,Armada,Classic, Voyager,Mahindra Cabstar,Commander,Marshal Tata: Safari, Sierra, Sumo, Spacio,Turbo, Tata407, Grande	
				Bus	100	HCV	Ashok Leyland: Iveco & Stallion, E Comet, Standard-20, Tata: LCV, 608,709,
					120	HCV	Tata: 1512,1510,1109,1610,807,909
					150	HCV	Ashok Leyland: Viking, Cheeta & CNG Buses, Hippo & Beaver Tata: Tata 1612, Tata 1613, Tata2516, CNG Bus Swaraj: 1107

Distribution Business Unit Zonal Offices

North Zone - Gurgaon

Tel.: (0124) - 3910900 / 3910901
Fax: (0124) - 3910916

East Zone - Kolkata

Tel.: (033) - 22472481 / 22878065
Fax: (033) - 22903839

West Zone - Mumbai

Tel.: (022) - 27566351 / 27566352 / 27566353 / 27566354
Fax: (022) - 27566355

South Zone- Bengaluru

Tel.: (080) - 23613831 / 23611958 /23611160
Fax: (080) - 23614552

Cummins India Ltd. Registered office : Kothrud, Pune – 411 038

Distributor's Name & Address



Cummins India Limited
35A/1/2, Erandwana,
Pune: 411 038
India

Phone : +91-020-2543 1234, 3027 8000,
Fax : +91-020-2543 9490
E mail: powermaster-india@cummins.com,
Internet: cumminsindia.com




**Sales and
Service
India**

TRUSTART Automotive Battery

18*
MONTHS
WARRANTY



KING ON ALL ROADS



TRUSTART

Automotive Battery

* Conditions apply



*For BSNL / MTNL lines
Internet: cumminsindia.com | E mail : powermaster-india@cummins.com

KING ON ALL ROADS

Introduction

Cummins brings to you, state-of-art automobile batteries which are high performing and zero maintenance.

Its technology ensures that you can now concentrate on your driving without worrying about being stranded as these batteries offer TRUSTART everywhere and everytime.

Features & Benefits

- **Charge eye** - Unique acid level indicator which eliminates the need to open the service plugs
- **BIC vents** - To reduce acid loss
- **Zero Maintenance** - Very low topping frequency
- **Higher CCA** - Radial grid design offers higher CCA for quick starting
- **Rugged construction** - Ribbed container resists shock and vibration damage and withstands high temperature, making it truly suitable for the extreme conditions
- **Special hybrid alloy system** - Minimizes water loss thus promoting long service life
- **Factory filled and charged** - For immediate fitment



Sr No.	Part no.	Rating (Ah)	Dimensions in mm			Weight (Kg)	CCA as per JIS Std (Amps)	Reserve Capacity (Minutes)	Waranty Months (Free Replacement)
			Length	Width	Height				
01	AX1013487	35L	187	127	227 max	10.2	266	50	18
02	AX1013482	35R	187	127	227 max	10.2	266	50	
03	AX1013485	65L	260	173	225 max	18.1	400	115	
04	AX1013486	65R	260	173	225 max	18.1	400	115	

Application chart

Model	Part no	Rating (Ah)	Application
Passenger Car	AX1013487	35 L	HM : Lancer (Petrol), Cedia (Petrol) Maruti : Alto, Wagon R, Zen Estilo, Baleno, Altura, Ecco Toyota : Innova (Petrol), Corolla, Honda : City, Jazz GML : Spark (Petrol)
	AX1013482	35 R	Maruti : 800, 800MPFI [A/c, LPG Vehicles], Gypsy, Omni, Zen, 1000 cc, Esteem, Swift(Petrol), A-Star, SX4, Ritz Tata : Indica (Petrol), Indigo (Petrol), Marina (Petrol) Daewoo : Matiz Hyundai : Santro
	AX1013485	65 L	Toyota : Qualis, Innova (Diesel)
	AX1013486	65 R	GM : Tavera M&M : Camper, Scorpio, Xylo, Bolero New Tata : Marina (Diesel), Indica (Diesel), Indigo (Diesel) International : Rhino Fiat : 118 NE (Diesel), Premier Padmini (Diesel), Punto (Diesel)

Distribution Business Unit Zonal Offices

North Zone - Gurgaon

Tel.: (0124) - 3910900 / 3910901
Fax: (0124) - 3910916

East Zone - Kolkata

Tel.: (033) - 22472481 / 22878065
Fax: (033) - 22903839

West Zone - Mumbai

Tel.: (022) - 27566351 / 27566352 / 27566353 / 27566354
Fax: (022) - 27566355

South Zone- Bengaluru

Tel.: (080) - 23613831 / 23611958 / 23611160
Fax: (080) - 23614552

Distributor's Name & Address



Cummins India Limited
35A/1/2, Erandwana,
Pune: 411 038
India

Phone : +91-020-2543 1234, 3027 8000.
Fax : +91-020-2543 9490
E mail: powermaster-india@cummins.com,
Internet: cumminsindia.com



**Sales and
Service
India**

TRUSTART Automotive Battery

18*
**MONTHS
WARRANTY**



KING ON ALL ROADS

TRUSTART

Automotive Battery

Conditions apply



KING ON ALL ROADS

Introduction

Cummins brings to you, state-of-art automobile batteries which are high performing and zero maintenance.

Its technology ensures that you can now concentrate on your driving without worrying about being stranded as these batteries offer TRUSTART everywhere and everytime.

Features & Benefits

- **Charge eye** - Unique acid level indicator which eliminates the need to open the service plugs
- **BIC vents** - To reduce acid loss
- **Zero Maintenance** - Very low topping frequency
- **Higher CCA** - Radial grid design offers higher CCA for quick starting
- **Rugged construction** - Ribbed container resists shock and vibration damage and withstands high temperature, making it truly suitable for the extreme conditions
- **Special hybrid alloy system** - Minimizes water loss thus promoting long service life
- **Factory filled and charged** - For immediate fitment



Sr.No.	Part no.	Rating (Ah)	Dimensions in mm			Weight (Kg)	CCA as per JIS Std (Amps)	Reserve Capacity (Minutes)	Warranty Months (Free Replacement)
			Length	Width	Height				
01	AX1013418	80	306	173	225	22.5	550	160	18
02	AX1013419	100	333	176	234	25.4	650	198	18
03	AX1013420	120	505	222	240	41.6	700	226	18
04	AX1013421	150	505	222	240	48	800	283	18
05	AX1013472	90 L	364	176	234	24.5	550	170	18
06	AX1013473	90 R	364	176	234	24.5	550	170	18

Application chart

Segment	Rating (Ah)	Model	Application
Commercial Vehicles	90	Tractor	Eicher : 480, 6100, Farm Trac :Power Trac 430, 435, 440, 450 HMT: 2522, 2511, 3522EXR, 3511, 4022, 4922EX, 4511, 5911, EX6522, 7511, 5022, 7522, R6522, 4922R, DI 735, DI740 International Tractors Limited: Sonalika DI 745, DI 750, DI 750III, DI 755, DI 760 Senior Swaraj Tractors :724, 733, 735, 744 FE M.M : Arjun, Arjun 555DI, 605 DI, 575 DI Sarpanch, 585 DI Sarpanch 475, 295DI, 595DI, 275DI, 275, 295, 595DI, 265DI, Sarpanch, 265 Di Bhoomiputra
			Ashok Leyland: 2214,2518,3121,3116,1616,2516 comet, Taurus,Tuskar-goods, Challenger, Gama, Judo,Trax,Traveller, Matador,Dyna,Canter,Ambassador,(Diesel & CNG), Contessa(Diesel), OKA,Trekker,RTV,Armada,Classic, Voyager,Mahindra Cabstar,Commander,Marshal Tata: Safari, Sierra, Sumo, Spacio,Turbo, Tata407, Grande
	80	LCV	Ashok Leyland: Iveco & Stallion, E Comet, Standard-20, Tata: LCV, 608,709,
	100	HCV	Ashok Leyland: 1512,1510,1109,1610,807,909
	120	HCV	Ashok Leyland: Viking, Cheeta & CNG Buses, Hippo & Beaver Tata: Tata 1612, Tata 1613, Tata2516, CNG Bus Swaraj: 1107

Distribution Business Unit Zonal Offices

North Zone - Gurgaon

Tel.: (0124) - 3910900 / 3910901
Fax: (0124) - 3910916

East Zone - Kolkata

Tel.: (033) - 22472481 / 22878065
Fax: (033) - 22903839

West Zone - Mumbai

Tel.: (022) - 27566351 / 27566352 / 27566353 / 27566354
Fax: (022) - 27566355

South Zone- Bengaluru

Tel.: (080) - 23613831 / 23611958 / 23611160
Fax: (080) - 23614552

Cummins India Ltd. Registered office : Kothrud, Pune - 411 038

Distributor's Name & Address



Cummins India Limited
35A/1/2, Erandwana,
Pune: 411 038
India

Phone : +91-020-2543 1234, 3027 8000,
Fax : +91-020-2543 9490
E mail: powermaster-india@cummins.com,
Internet: cumminsindia.com

Every Start Assured

TRUSTART Industrial Battery



* Conditions apply

TOLL FREE
1-800-2332000*
24x7
CUSTOMER ASSISTANCE CELL

*For BSNL / MTNL lines
Internet: cumminsindia.com | E mail : powermaster-india@cummins.com

12*
MONTHS
WARRANTY

Every Start Assured

TRUSTART Industrial Battery



Introduction

CUMMINS TRUSTART Industrial Battery is a Zero Maintenance Industrial Battery specially designed for the heavy duty applications of construction and mining industry, withstanding extreme climatic condition and providing assured starting capability every time.

Features & Benefits

- **Charge eye** - Unique acid level indicator which eliminates the need to open the service plugs
- **BIC vents** - To reduce acid loss
- **Zero Maintenance** - Very low topping frequency
- **Higher CCA** - Radial grid design offers higher CCA for quick starting
- **Rugged construction** - Ribbed container resists shock and vibration damage and withstands high temperature, making it truly suitable for the extreme conditions
- **Special hybrid alloy system** - Minimizes water loss thus promoting long service life
- **Factory filled and charged** - For immediate fitment

Sr.No.	Part no.	Rating (Ah)	Dimensions in mm			Weight (Kg)	CCA as per JIS Std (Amps)	Reserve Capacity (Minutes)	Warranty Months (Free Replacement)
			Length	Width	Height				
1	AX1013535	180	540	222	240	49	1150 A	355min.	12

Application chart

Segment	Rating (Ah)	Model	Application
Dumpers	180		BEML : BH35, BH35-2, BH40
			Komastu : HD255-5, HD325-6, HD325-7, HD325-7R, HD405-7, HD405-7R, HD250-2, HD300-1, HD300-2, HD300-2R, HD350-1, HD350-2, HD350-2R, HD400-1, HD400-2, HD400-2R
			HM : 1040, 1026A, 1025A, 1035
			CAT : 770, 770G,

Distribution Business Unit Zonal Offices

North Zone - Gurgaon

Tel.: (0124) - 3910900 / 3910901
Fax: (0124) - 3910916

East Zone - Kolkata

Tel.: (033) - 22472481 / 22878065
Fax: (033) - 22903839

West Zone - Mumbai

Tel.: (022) - 27566351 / 27566352 / 27566353 / 27566354
Fax: (022) - 27566355

South Zone- Bengaluru

Tel.: (080) - 23613831 / 23611958 / 23611160
Fax: (080) - 23614552

Cummins India Ltd. Registered office : Kothrud, Pune – 411 038

Distributor's Name & Address



Cummins India Limited
35A/1/2, Erandwana,
Pune: 411 038
India

Phone : +91-020-2543 1234, 3027 8000,
Fax : +91-020-2543 9490
E mail: powermaster-india@cummins.com,
Internet: cumminsindia.com